


Reckon pneumatic Power Press



Copyright ©



STANDARD ACCESSORIES

- Motorized Grease Pump For Lubrication
- Hand Oil Pump For Pneumatic Balancer
- Rotary Cam Limit Switch
- Anti Repeat Safety Through PLC
- Dual Solenoid Valve
- PLC And HMI Based Control System 24v With Fault Finding
- Motorized Slide Adjustment Device From 63 to 250 Ton

- Digital Die Height Indicator From 63 Ton
- Hydraulic Over Load Safety
- Miss Feed Socket
- Air Outlet
- Knock Out System
- ISI Marked IE2 Standard Motor
- Pneumatic Balancer

OPTIONAL ACCESSORIES

- Variable Stroke
- Foot Switch
- Photo Electric Sensor
- Pneumatic Die Cushion
- Anti Vibration Pad (VFD)
- Quick Die Change System
- Wet Clutch
- Knock Out System

Technical Specifications

MODEL		RN-50/63			RN-80		RN-110		RN-160		RN-200		RN-250	
		NG	HG	SG	HG	SG	HG	SG	HG	SG	HG	SG	HG	SG
		63			80		110		160		200		250	
Fix Stroke (D)		50	50	130	60	150	70	160	80	200	90	220	100	250
Adjustable Stroke		8-50	8-50	8-100	8-60	8-100	8-70	8-125	-	8-160	-	-	-	20-160
SPM (Fix)		130	100	60	100	60	80	50	80	40	65	35	55	30
SPM (Variable)		100-160	70-150	40-70	60-130	40-70	60-120	35-60	50-100	30-50	40-80	25-45	30-70	25-40
Rating Point		1.5	2.3	4	3	4.5	3	5	3.5	6	3.5	6	4	6
Die Height (D H)		300			330		360		400		450		450	
Slide Adjustment (G)		70			80		90		100		110		120	
Slide Are (P X Q)		500 X 400			560 X 460		650 X 520		720 X 580		860 X 650		960 X 720	
Tool Bore (ø)		50.8			50.8		63		65		80		80	
Bolster Area (E X F)		900 X 520			1050 X 600		1150 X 680		1250 X 760		1400 X 840		1500 X 900	
Bolster Thickness		120			140		140		160		180		180	
Floor to Top of Bolster (Z)		860			900		900		900		1000		1000	
Clear Dist Betn. Uprights (R)		580			620		670		760		900		940	
Main Motor (HP X P)	Fix	7.5 X 4			7.5 X 4		10 X 4		15 X 4		20 X 4		25 X 4	
	Variable	7.5 X 4			7.5 X 4		10 X 4		15 X 4		20 X 4		25 X 4	
Slide Adj. Motor		0.4			0.4		0.4		0.75		1.5		1.5	
Die Cushion														
Capacity		6			6		8		10		14		14	
Stroke Length		70			70		90		100		110		120	
Pressure Pad Area		380 X 260			410 X 260		480 X 300		540 X 340		640 X 440		740 X 540	



RECKON
PRESS
INDIA